This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Edelman, Bradley

Google.com

"active state" "standby state" "network card"

"network card" state transition

<u>IEEE</u>

(network or interface) <near/2> card

(network or interface) <near/2> card and (standby or state or transition)

(network or interface) <near/2> card <near/8> (application or software or task)

I	L#	Hits	Search Text	DBs
1	L1	0	6650640.pn. and cpu and pci and disk near2 database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	1	6650640.pn. and cpu and pci and database	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	62	standby near3 lock\$2 near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	4	3 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	707	(deny\$3 or prevent\$3 or refus\$3) near4 access\$3 near5 (database or ram)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	511	5 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	18638	5 and network adj2 card or interface adj2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	84	5 and (network adj2 card or interface adj2 card)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	41	8 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	2	5 same (network adj2 card or interface adj2 card)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L#	Hits	Search Text	DBs
1	L1	927	state near3 transition\$3 and network near2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	43	1 and application and switchover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	240	state with transition\$3 and network adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	22	provisioning adj state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	20	4 and network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	1	4 and network adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L8	7	4 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L7	14	2 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	2	(state with transition\$3).ti,ab,clm. and (network adj card).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	0	pnni and cpro and cema	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	475	pnni	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L12	40	11 and line adj card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L13	14	12 and state near3 transition\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L14	307	network adj (card or interface) and (transition\$3 near6 state).clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
15	L15	16	14 and standby near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L16	91	14 and active near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L17	26	14 and active and standby	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L#	Hits	Search Text	DBs
18	L18	11	17 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L19	54796	network adj2 (card or interface)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L20	1194	709/250.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L21	665	19 and 20	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L22	424	21 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L23	238	active and standby and card and switchover	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L24	228	active and standby and card and switchover and (transition or state)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L25	136	active and standby and card and switchover and (transition)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L26	107	25 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L27	12	network adj2 card with (transition or state) near6 (active or standby or lock or ready or quiescent or provision)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	L28	25	(Pnni or cpro or cema) and network adj2 card	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L29	14	(Pnni or cpro or cema) and network adj2 card and transition	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	L30	61751	(standby or active or state) near5 transition	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
31	L31	116	19 same 30	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
32	L32	56	31 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L#	Hits	Search Text	DBs
33	L33	0	(reject\$3 or deny\$3) near3 (simple adj network adj management adj protocol or snmp) near3 set	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
34	L34	60513	state near6 transition\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
35	L35	37839	active near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
36	L36	11896 7	(passive or standby or off or sleep) near3 state	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
37	L37	267	19 and 34 and 35 and 36	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
38	L38	167	37 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
39	L39	157	network adj2 card with (state or transition)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
40	L40	39	network adj2 card with (state or transition).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
41	L41	87	39 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
42	L42	24	40 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
43	L43	125	(network adj2 card).ti.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
44	L44	49	43 and (state or transition or standby)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
45	L45	32	44 and (@ad<20001128 or @prad<20001128)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB